

# IPAH200

## 2.4Megapixel Covert IP Camera



<b>Model</b>	<b>IPAH200</b>
<b>Camera</b>	
Image Sensor	1/2.8" 2.4Megapixel CMOS
Effective Pixels	1920(H)x1080(V)
Scanning System	Progressive
Electronic Shutter Speed	Auto/Manual, 1/3(4)~1/10000
Min. Illumination	0.01lux/F1.2 (color)
S/N Ratio	More than 60dB
Video Output	N/A
Night Vision	N/A
<b>Camera Features</b>	
PIR Detect Sensor	N/A
Audio	Support MIC
SD Card Record	Support
Day/Night	Auto(ICR) / Color / B/W
Backlight Compensation	BLC / HLC / DWDR
White Balance	Auto/Manual
Gain Control	Auto/Manual
Noise Reduction	3D
Privacy Masking	Up to 4 areas
<b>Lens</b>	
Focal Length	3.7mm 3.0Megapixel lens

Max Aperture	F1.4	
Lens Type	Fixed Lens	
Mount Type	Board-in Type	
<b>Video</b>		
Compression	H.264/MJPEG	
Resolution	1080P(1920×1080)	
Frame Rate	Main Stream	1080P/720P(1 ~ 25/30fps)
	Sub Stream	D1/CIF(1 ~ 25/30fps)
Bit Rate	H.264: 56K ~ 8192Kbps	
<b>Network</b>		
Ethernet	RJ-45 (10/100Base-T)	
WiFi	Support	
Protocol	IPv4/IPv6, HTTP, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour	
ONVIF	ONVIF Profile S	
Max. User Access	10 users	
Smart Phone	iPhone, iPad, Android, Windows Phone	
<b>General</b>		
Power Supply	DC12V	
Power Consumption	<2W	
Working Environment	-30°C~+60°C, Less than 95%RH	
Vandal Resistance	N/A	
Weight	0.3Kg	

\*Specifications are subject to change without notice